

Relative Value Units and Related Information Used in CY 2021 Final Rule

| CPT ¹ / HCPCS | Mod | Description | Work RVUs ² | Non- Facility PE RVUs ² | Facility PE RVUs ² | Mal- Practice RVUs ² |
|-----------------------------|-----|------------------------------|---------------------------|---|-------------------------------------|---------------------------------------|
| 20526 | | Ther injection carp tunnel | 0.94 | 1.28 | 0.57 | 0.17 |
| 20550 | | Inj tendon sheath/ligament | 0.75 | 0.81 | 0.29 | 0.09 |
| 20551 | | Inj tendon origin/insertion | 0.75 | 0.85 | 0.31 | 0.09 |
| 20552 | | Inj trigger point 1/2 muscl | 0.66 | 0.84 | 0.36 | 0.08 |
| 20553 | | Inject trigger points 3/> | 0.75 | 0.98 | 0.41 | 0.10 |
| 20600 | | Drain/inj joint/bursa w/o us | 0.66 | 0.78 | 0.29 | 0.08 |
| 20604 | | Drain/inj joint/bursa w/us | 0.89 | 1.41 | 0.36 | 0.10 |
| 20605 | | Drain/inj joint/bursa w/o us | 0.68 | 0.82 | 0.31 | 0.09 |
| 20606 | | Drain/inj joint/bursa w/us | 1.00 | 1.50 | 0.42 | 0.12 |
| 20610 | | Drain/inj joint/bursa w/o us | 0.79 | 0.98 | 0.42 | 0.12 |
| 20611 | | Drain/inj joint/bursa w/us | 1.10 | 1.69 | 0.50 | 0.14 |
| 20612 | | Aspirate/inj ganglion cyst | 0.70 | 1.07 | 0.41 | 0.10 |
| 27096 | | Inject sacroiliac joint | 1.48 | 3.39 | 0.83 | 0.13 |
| 64490 | | Inj paravert f jnt c/t 1 lev | 1.82 | 3.87 | 1.11 | 0.19 |
| 64491 | | Inj paravert f jnt c/t 2 lev | 1.16 | 1.67 | 0.48 | 0.12 |
| 64492 | | Inj paravert f jnt c/t 3 lev | 1.16 | 1.68 | 0.51 | 0.12 |
| 64493 | | Inj paravert f jnt l/s 1 lev | 1.52 | 3.72 | 0.99 | 0.14 |
| 64494 | | Inj paravert f jnt l/s 2 lev | 1.00 | 1.66 | 0.42 | 0.10 |
| 64495 | | Inj paravert f jnt l/s 3 lev | 1.00 | 1.66 | 0.44 | 0.10 |
| 71045 | | X-ray exam chest 1 view | 0.18 | 0.56 | NA | 0.02 |
| 71045 | TC | X-ray exam chest 1 view | 0.00 | 0.50 | NA | 0.01 |
| 71045 | 26 | X-ray exam chest 1 view | 0.18 | 0.06 | 0.06 | 0.01 |
| 71046 | | X-ray exam chest 2 views | 0.22 | 0.75 | NA | 0.02 |
| 71046 | TC | X-ray exam chest 2 views | 0.00 | 0.67 | NA | 0.01 |
| 71046 | 26 | X-ray exam chest 2 views | 0.22 | 0.08 | 0.08 | 0.01 |
| 76881 | | Us compl joint r-t w/img | 0.63 | 1.28 | NA | 0.03 |
| 76881 | TC | Us compl joint r-t w/img | 0.00 | 1.04 | NA | 0.01 |
| 76881 | 26 | Us compl joint r-t w/img | 0.63 | 0.24 | 0.24 | 0.02 |
| 76882 | | Us lmtd jt/nonvasc xtr strux | 0.49 | 1.15 | NA | 0.03 |
| 76882 | TC | Us lmtd jt/nonvasc xtr strux | 0.00 | 0.98 | NA | 0.01 |
| 76882 | 26 | Us lmtd jt/nonvasc xtr strux | 0.49 | 0.17 | 0.17 | 0.02 |
| 76942 | | Echo guide for biopsy | 0.67 | 1.00 | NA | 0.04 |
| 76942 | TC | Echo guide for biopsy | 0.00 | 0.81 | NA | 0.01 |
| 76942 | 26 | Echo guide for biopsy | 0.67 | 0.19 | 0.19 | 0.03 |
| 77080 | | Dxa bone density axial | 0.20 | 0.92 | NA | 0.02 |
| 77080 | TC | Dxa bone density axial | 0.00 | 0.85 | NA | 0.01 |
| 77080 | 26 | Dxa bone density axial | 0.20 | 0.07 | 0.07 | 0.01 |
| 77081 | | Dxa bone density/peripheral | 0.20 | 0.73 | NA | 0.02 |
| 77081 | TC | Dxa bone density/peripheral | 0.00 | 0.65 | NA | 0.01 |
| 77081 | 26 | Dxa bone density/peripheral | 0.20 | 0.08 | 0.08 | 0.01 |
| 77084 | | Magnetic image bone marrow | 1.60 | 9.09 | NA | 0.10 |
| 77084 | TC | Magnetic image bone marrow | 0.00 | 8.52 | NA | 0.02 |

| | | | | | | |
|-------|----|------------------------------|------|------|------|------|
| 77084 | 26 | Magnetic image bone marrow | 1.60 | 0.57 | 0.57 | 0.08 |
| 77085 | | Dxa bone density study | 0.30 | 1.26 | NA | 0.02 |
| 77085 | TC | Dxa bone density study | 0.00 | 1.14 | NA | 0.01 |
| 77085 | 26 | Dxa bone density study | 0.30 | 0.12 | 0.12 | 0.01 |
| 77086 | | Fracture assessment via dxa | 0.17 | 0.82 | NA | 0.02 |
| 77086 | TC | Fracture assessment via dxa | 0.00 | 0.76 | NA | 0.01 |
| 77086 | 26 | Fracture assessment via dxa | 0.17 | 0.06 | 0.06 | 0.01 |
| 96360 | | Hydration iv infusion init | 0.17 | 0.90 | NA | 0.02 |
| 96361 | | Hydrate iv infusion add-on | 0.09 | 0.32 | NA | 0.01 |
| 96365 | | Ther/proph/diag iv inf init | 0.21 | 1.98 | NA | 0.05 |
| 96366 | | Ther/proph/diag iv inf addon | 0.18 | 0.48 | NA | 0.01 |
| 96372 | | Ther/proph/diag inj sc/im | 0.17 | 0.24 | NA | 0.01 |
| 96374 | | Ther/proph/diag inj iv push | 0.18 | 1.05 | NA | 0.02 |
| 96375 | | Tx/pro/dx inj new drug addon | 0.10 | 0.41 | NA | 0.01 |
| 96401 | | Chemo anti-neopl sq/im | 0.21 | 2.25 | NA | 0.05 |
| 96413 | | Chemo iv infusion 1 hr | 0.28 | 4.14 | NA | 0.09 |
| 96415 | | Chemo iv infusion addl hr | 0.19 | 0.74 | NA | 0.02 |
| 99202 | | Office o/p new sf 15-29 min | 0.93 | 1.12 | 0.41 | 0.08 |
| 99203 | | Office o/p new low 30-44 min | 1.60 | 1.53 | 0.67 | 0.15 |
| 99204 | | Office o/p new mod 45-59 min | 2.60 | 2.09 | 1.12 | 0.24 |
| 99205 | | Office o/p new hi 60-74 min | 3.50 | 2.69 | 1.56 | 0.32 |
| 99211 | | Office o/p est minimal prob | 0.18 | 0.49 | 0.08 | 0.01 |
| 99212 | | Office o/p est sf 10-19 min | 0.70 | 0.90 | 0.29 | 0.07 |
| 99213 | | Office o/p est low 20-29 min | 1.30 | 1.28 | 0.55 | 0.10 |
| 99214 | | Office o/p est mod 30-39 min | 1.92 | 1.76 | 0.83 | 0.13 |
| 99215 | | Office o/p est hi 40-54 min | 2.80 | 2.32 | 1.26 | 0.21 |
| 99221 | | Initial hospital care | 1.92 | NA | 0.78 | 0.20 |
| 99222 | | Initial hospital care | 2.61 | NA | 1.09 | 0.22 |
| 99223 | | Initial hospital care | 3.86 | NA | 1.62 | 0.30 |
| 99231 | | Subsequent hospital care | 0.76 | NA | 0.29 | 0.07 |
| 99232 | | Subsequent hospital care | 1.39 | NA | 0.58 | 0.10 |
| 99233 | | Subsequent hospital care | 2.00 | NA | 0.83 | 0.13 |
| 99354 | | Prolng svc o/p 1st hour | 2.33 | 1.25 | 1.00 | 0.15 |
| 99355 | | Prolng svc o/p ea addl 30 | 1.77 | 0.90 | 0.68 | 0.11 |
| 99358 | | Prolong service w/o contact | 2.10 | 0.97 | 0.97 | 0.14 |
| 99359 | | Prolong serv w/o contact add | 1.00 | 0.47 | 0.47 | 0.08 |
| 99441 | | Phone e/m phys/qhp 5-10 min | 0.70 | 0.90 | 0.29 | 0.07 |
| 99442 | | Phone e/m phys/qhp 11-20 min | 1.30 | 1.28 | 0.55 | 0.11 |
| 99443 | | Phone e/m phys/qhp 21-30 min | 1.92 | 1.76 | 0.83 | 0.15 |
| G2211 | | Complex e/m visit add on | 0.33 | 0.14 | 0.14 | 0.02 |
| G2212 | | Prolong outpt/office vis | 0.61 | 0.31 | 0.27 | 0.05 |

| Total Non-Facility RVUs ² | Total Facility RVUs ² |
|--------------------------------------|----------------------------------|
| 2.39 | 1.68 |
| 1.65 | 1.13 |
| 1.69 | 1.15 |
| 1.58 | 1.10 |
| 1.83 | 1.26 |
| 1.52 | 1.03 |
| 2.40 | 1.35 |
| 1.59 | 1.08 |
| 2.62 | 1.54 |
| 1.89 | 1.33 |
| 2.93 | 1.74 |
| 1.87 | 1.21 |
| 5.00 | 2.44 |
| 5.88 | 3.12 |
| 2.95 | 1.76 |
| 2.96 | 1.79 |
| 5.38 | 2.65 |
| 2.76 | 1.52 |
| 2.76 | 1.54 |
| 0.76 | NA |
| 0.51 | NA |
| 0.25 | 0.25 |
| 0.99 | NA |
| 0.68 | NA |
| 0.31 | 0.31 |
| 1.94 | NA |
| 1.05 | NA |
| 0.89 | 0.89 |
| 1.67 | NA |
| 0.99 | NA |
| 0.68 | 0.68 |
| 1.71 | NA |
| 0.82 | NA |
| 0.89 | 0.89 |
| 1.14 | NA |
| 0.86 | NA |
| 0.28 | 0.28 |
| 0.95 | NA |
| 0.66 | NA |
| 0.29 | 0.29 |
| 10.79 | NA |
| 8.54 | NA |

| | |
|------|------|
| 2.25 | 2.25 |
| 1.58 | NA |
| 1.15 | NA |
| 0.43 | 0.43 |
| 1.01 | NA |
| 0.77 | NA |
| 0.24 | 0.24 |
| 1.09 | NA |
| 0.42 | NA |
| 2.24 | NA |
| 0.67 | NA |
| 0.42 | NA |
| 1.25 | NA |
| 0.52 | NA |
| 2.51 | NA |
| 4.51 | NA |
| 0.95 | NA |
| 2.13 | 1.42 |
| 3.28 | 2.42 |
| 4.93 | 3.96 |
| 6.51 | 5.38 |
| 0.68 | 0.27 |
| 1.67 | 1.06 |
| 2.68 | 1.95 |
| 3.81 | 2.88 |
| 5.33 | 4.27 |
| NA | 2.90 |
| NA | 3.92 |
| NA | 5.78 |
| NA | 1.12 |
| NA | 2.07 |
| NA | 2.96 |
| 3.73 | 3.48 |
| 2.78 | 2.56 |
| 3.21 | 3.21 |
| 1.55 | 1.55 |
| 1.67 | 1.06 |
| 2.69 | 1.96 |
| 3.83 | 2.90 |
| 0.49 | 0.49 |
| 0.97 | 0.93 |